

For office use only

Batch number: _____
Representor ID # _____
Representation # _____

Received: _____
Ack: _____



NORTH DORSET LOCAL PLAN REVIEW

Issues and Options Consultation

27 November 2017 to 22 January 2018

Response Form

As part of the Local Plan Review (LPR), North Dorset District Council has prepared an Issues and Options Document for consultation. The Issues and Options Document, the Sustainability Appraisal and associated documents can be viewed online via:

<https://www.dorsetforyou.gov.uk/planning/north-dorset/planning-policy>

Please return completed forms to:

Email: planningpolicy@north-dorset.gov.uk

Post: Planning Policy (North Dorset), South Walks House, South Walks Road, Dorchester, DT1 1UZ

Deadline: 5pm on 22 January 2018. Representations received after this time may not be accepted.

Part A – Personal details

This part of the form must be completed by all people making representations as **anonymous comments cannot be accepted**. By submitting this response form you consent to your information being disclosed to third parties for this purpose. Personal details will not be visible on our website, although they will be shown on paper copies that will be available for inspection by members of the public and other interested parties.

*If an agent is appointed, please complete only the Title, Name, Job Title and Organisation boxes in the personal details but complete the full contact details of the agent including email address. All correspondence will be sent to the agent.

Personal Details*		Agent's Details (if applicable)*
Title	Mr.	
First Name	John	
Last Name	Cook	
Job Title(where	Chairman	
Organisation (where relevant)	Bryanston Park Preservation Group	
Address	██████████ ██████████ ██████████ ██████	
Postcode	████████	
Tel. No.	██████████	
Email Address	████████████████████	

Part B – Representations

Please answer as many questions or as few questions as you wish. There is a box at the end of the form where you can provide any comments that you may have.

Housing

1. Do you consider that a housing need figure of 366 dwellings a year is an appropriate figure on which to plan for housing growth in North Dorset? If not, please set out what you consider to be an appropriate figure and provide reasons for this.

Yes

No

If you have answered 'No' please set out an alternative housing figure and provide reasoning to support your answer.

Employment

2. Do you consider that additional employment land should be allocated for development at Blandford as part of the Local Plan Review?

Yes

No

3. Do you consider that there is a need to allocate additional employment land in any other part(s) of the District?

Yes

No

Spatial Strategy

4. Do you consider that the existing spatial strategy, as set out in LPP1, should be amended to allow for some limited growth at Stalbridge, beyond just meeting local needs?

Yes

No

5. Do you think that the Council should consider implementing any other alternative spatial strategy through the LPR? If so, please explain your reasons why.

Yes

No

If you have answered 'Yes' please set out your alternative spatial strategy and provide reasoning to support it.

Blandford (Forum and St Mary)

6. Do you agree with the conclusions regarding the areas of search identified at Blandford?

Yes x

7. Are there any further issues relating to the areas of search that you think should have been considered as part of the assessment process?

Yes x

If you have answered 'Yes' please set out what you see as the further issues.

We agree with the conclusions in the Sustainability Appraisal in respect of Area H, The Crown Meadows/Bryanston Deer Park. We believe that the following issues should also be taken into account:

1. The DCC Landscape Impact Assessment recommends that any future development be limited to a small area adjacent to the built up area (within a dashed blue line) in order to avoid causing substantial harm to the significance of affected heritage assets.
2. Blandford is acknowledged as one of the finest Georgian Towns in the country and consideration of the contribution of the Crown Meadows to the significance of its setting is a critical matter, emphasized in statute and national policy.
3. The liability of surface water flooding is obvious and recognised. However, our ground water studies show that about half of the site proposed by the previous owners is subject to ground water flooding where the required 1 meter between the foundations and the underground services (sewers, electricity and gas etc.) is not achievable. Such studies have not been carried out and of course would only be valid if undertaken during severe flood conditions as occurred in December 2013 when the River Stour reached the level of 34 meters AOD at Blandford Bridge. Surface water reached a level of about 32 meters beyond the reference OAK Tree, a flood the size of which had not occurred in the previous 15 years. (See photo attached below.)
4. During the 5 years of consultation between 2010 – 2015, the residents of Blandford had consistently expressed their objection to any development taking place on the Crown Meadows in the strongest possible terms, concluding in a petition signed by almost 6,000 residents.



8. What are the additional infrastructure requirements that are likely to result from potential future development at Blandford?

Please set out what you see as the additional infrastructure requirements.

Gillingham

9. Do you agree with the conclusions regarding the areas of search identified at Gillingham?

Yes

No

10. Are there any further issues relating to the areas of search that you think should have been considered as part of the assessment process?

Yes

No

If you have answered 'Yes' please set out what you see as the further issues.

11. What are the additional infrastructure requirements that are likely to result from potential future development at Gillingham?

Please set out what you see as the additional infrastructure requirements.

Shaftesbury

12. Do you agree with the conclusions regarding the areas of search identified at Shaftesbury?

Yes

No

13. Are there any further issues relating to the areas of search that you think should have been considered as part of the assessment process?

Yes

No

If you have answered 'Yes' please set out what you see as the further issues.

14. What are the additional infrastructure requirements that are likely to result from potential future development at Shaftesbury?

Please set out what you see as the additional infrastructure requirements.

Sturminster Newton

15. Do you agree with the conclusions regarding the areas of search identified at Sturminster Newton?

Yes

No

16. Are there any further issues relating to the areas of search that you think should have been considered as part of the assessment process?

Yes

No

If you have answered 'Yes' please set out what you see as the further issues.

17. What are the additional infrastructure requirements that are likely to result from potential future development at Sturminster Newton?

Please set out what you see as the additional infrastructure requirements.

Stalbridge

18. Do you agree with the conclusions regarding the areas of search identified at Stalbridge?

Yes

No

19. Are there any further issues relating to the areas of search that you think should have been considered as part of the assessment process?

Yes

No

If you have answered 'Yes' please set out what you see as the further issues.

20. What are the most important infrastructure requirements that are likely to result from potential future development at Stalbridge?

Please set out what you see as the additional infrastructure requirements.

The Villages

21. Do you agree with the Council's proposed approach in relation to future development at the eighteen larger villages within the District or do you think that the Council should consider an alternative approach?

Yes

No

If you have answered 'No' please set out your alternative approach and information/reasoning behind this.

Affordable Housing

22. Do you consider that the existing reference to nine dwellings in Policy 9 of LPP1 should be removed from the policy to allow larger schemes to come forward where there is evidence of local need in excess of that which could be met by the provision of nine dwellings?
- Yes
- No
23. Do you consider that the existing policy approach, which seeks to prevent exception sites coming forward adjacent to the four main towns within the District, should be amended?
- Yes
- No
24. Do you consider that the Council should continue with its existing policy approach, which allows for a small number of market homes on rural exception sites?
- Yes
- No

Self-Build and Custom-Build Housing

25. Do you consider that the Council should facilitate the provision of self-build housing by any, some, or all of the following options?
- Yes
- No
- a. Allowing serviced plots to come forward under the current development plan policies.
- Yes
- No
- b. Updating Policy 7 (Delivering Homes) in the Local Plan Part 1 to promote the provision of serviced plots of land for self-build housing.
- Yes
- No
- c. Requiring on sites above a certain size that serviced self-build plots should be made available as a proportion of the total number of dwellings permitted (with or without a minimum number being specified) on-site.
- Yes
- No
- d. Allowing a proportion (up to 100%) of self-build plots on exception sites (with controls over the resale

value of the properties).

Yes

No

e. Identifying land in public ownership which would be sold only for self-build development.

Yes

No

f. The use of Local Development Orders to facilitate self-build development.

Yes

No

26. Are there any other approaches that could be used to meet the demand for self-build housing?

Yes

No

If you have answered 'Yes' please outline the other approaches which the Council could pursue.

Ensuring the Vitality and Viability of Town Centres

27. Do you consider that the existing hierarchy and network of centres, as set out in LPP1, should be amended to include Stalbridge as a 'local centre'?

Yes

No

Important Open or Wooded Areas (IOWAs)

28. Do you agree that those IOWAs, which are protected from development by other planning policies or legislation, should be deleted?

Yes

No

The A350 Corridor


29. Do you consider that the land which is identified and safeguarded for the Shaftesbury Outer Bypass and the Charlton Marshall and Spetisbury Bypass should continue to be identified and safeguarded for such purposes?

Yes

No

Comments

If you have any comments about the Issues and Options Document or the Sustainability Appraisal please set them out in the box below. If your comments are in relation to a specific question or chapter of the Issues and Options Document then please state which question or chapter your comments relate to.

A large, empty rectangular box with a thin black border, intended for users to enter their comments. The box is currently blank.

Continue on a separate sheet if necessary

Do you wish to be contacted about future consultations relating to the Local Plan Review?

Yes x

Signature: _____



Date: 17th December 2017

If submitting the form electronically, no signature is required.

When completed please send form to planningpolicy@north-dorset.gov.uk